


# EZTrac™

## Installation Guide




### Kit Includes:



For more information about EZTrac™, scan QR code

The EZTrac™ device is installed inline between the main harness and the ABS ECU.




**Professional Installation Recommended** - Installation of EZTrac is recommended to be installed by a professional installer that has sufficient technical knowledge and expertise for mobile device installation and integration with commercial assets. i.e. Certified Geotab Installer certification or equivalent.

1. Locate the ABS TTMA 5 pin connector near the rear of the trailer/chassis.


# EZTrac™

## Installation Guide


2. Remove any existing cable ties. Unplug the ABS TTMA 5 pin connector to disconnect the main harness from the ABS harness.



3. Install the EZTrac™ device inline between the disconnected male and female connectors.




4. Make sure to align and secure the locking clip between the ABS Harness and EZTrac™ device connection. Place one (1) cable tie over the locking clip to prevent the connection from pulling apart.



# EZTrac™


## Installation Guide

5. Place the 14" x 2" split loom over the EZTrac™ device.



14" x 2" Split Loom

6. Secure the entire EZTrac™ device to the main harness with two (2) additional cable ties as shown below.



7. Power up the asset. Follow the instructions below to connect the device to your account.

*Notice:* Once installed, do not pressure wash the device or the immediate surrounding area.

**Now that you've purchased your EZTrac™ and successfully installed your hardware on your trailer or chassis, you are ready for the next step!**

1. Navigate to the app store on your smart device (Apple or Android) and search for Phillips Connect. Once you find the app, start the download process.
2. After you have the app on your smart device, open it and scan the IMEI barcode on your EZTrac™ device. You will then be prompted to fill out your email information.
3. Next, you will need to fill out some account information about your Asset and Company name. This will create a shell account on the web portal.  
  
Navigate to your email and you will
4. see an email from Phillips Connect. Open the email and click the link to validate your email address.
5. Once your email has been validated, you will be directed to the login page on the Web Portal.
  - a. Accept EULA, SLA, and Warranty Terms to proceed
6. Now, you will need to create your Web Portal account. You will need to add your first and last name, phone number, username (email), create a password, and select the appropriate time zone.
7. After you've logged in, you will then select a subscription for the IMEI(s) that you have purchased and input your payment information.
8. Once your credit card information is entered and processed you will have immediate visibility to all your installed assets on the User Interface.
9. Confirm the EZTrac™ has powered up and shows the current location on the map before assigning the trailer or chassis ID.